




## 8247 CO

**Flush Precision Cut 45° Angle  
Tapered Head Oblique Cutter with  
Conductive Material Handle 0.2 - 1  
mm**










### PRODUCT DETAILS

- 80 series oblique cutter 45° with Tapered Head
- ESD safe mono-material handles with return spring
- Flush cut
- The cutting capacity given is for copper wire
- Suitable for cutting Cu
- High performance alloyed steel
- Burnished finish
- Numerically controlled machine grinding guarantees edge angle accuracy & contact, increases the tools reliability & consistency
- Precision induction hardened edges 63-65 HRC
- Screw joint that minimizes friction & maximizes alignment of cutting edges
- Ideal for rework & close assembly needs
- CO standard handle shape in conductive material



PRODUCT ATTRIBUTES

Product: **8247 CO**

|   |            |   |              |   |          |
|---|------------|---|--------------|---|----------|
|  | Angle 45°  |  | S            |  | Flush    |
|  | 0.2-1.0 mm |  | 0.01-0.04 in | <b>A</b>  | 117.5 mm |
| <b>A</b>  | 4.63 in    | <b>B</b>  | 18 mm        | <b>B</b>  | 0.71 in  |
| <b>C</b>  | 10 mm      | <b>C</b>  | 0.39 in      | <b>D</b>  | 6 mm     |
| <b>D</b>  | 0.24 inch  | <b>G</b>  | 6.7 mm       | <b>G</b>  | 0.26 in  |
|  | 51 g       |  | Conductive   |   |          |