LINDSTRÖM®

RX 8151

ERGO™ Flush Precision Cut Diagonal Cutter with Oval Head 0.2-1.6 mm




PRODUCT DETAILS

- \bullet Precision oval head diagonal cutters developed according to the scientific ERGOTM process, Oval head
- ERGO™ handles with two-component combination, thermoplastic surface, for comfortable grip, on tough polypropylene core for rigidity
- Micro-bevel, flush & ultra-cut
- The cutting capacity that is given is for copper wire
- Cutting capacity: 0.1 mm-0.8 mm to 0.4 mm-2 mm
- High performance alloyed steel
- Burnished finish

- Numerically controlled machine grinding guarantees edge angle accuracy & contact, increases the tool's reliability & consistency
- Precision induction-hardened edges 63-65 HRC
- Screw joint minimises friction & maximises alignment of cutting edges
- ESD safe handles in two-component synthetic material
- Bio spring limits the tension throughout the working cycle of the tool & can be adjusted to 3 different positions or removed
- Ideal for wire harness work & standard printed circuit board assembly





PRODUCT ATTRIBUTES

Product: RX 8151

| 6 | | Oval | ⟨Û⟩ | М | | Flush |
|----|---------------|--------------|-----|--------------|----|------------|
| 0 | | 0.2-1.6 mm | | 0.00-0.06 in | ₩, | 0.2-0.8 mm |
| ## | 8 | 0.01-0.03 in | A | 138 mm | A | 5.43 in |
| E | В | 13 mm | B | 0.51 in | C | 12.5 mm |
| (| () | 0.49 in | D | 6 mm | | 0.24 inch |
| | | 1.2 mm | F | 0.05 in | g | 73 g |
| (| \mathcal{L} | Dissipative | | | | |