## ►LINDSTRÖM<sup>®</sup>

## **RX 8140**

ERGO<sup>™</sup> Micro-Bevel® Precision Cut Diagonal Cutter with Oval Head 0.2-1.25 mm



## PRODUCT DETAILS


• Precision oval head diagonal cutters developed according to the scientific ERGO<sup>™</sup> process, Oval head

• ERGO<sup>™</sup> handles with two-component combination, thermoplastic surface, for comfortable grip, on tough polypropylene core for rigidity

- Micro-bevel, flush & ultra-cut
- The cutting capacity that is given is for copper wire
- Cutting capacity: 0.1 mm-0.8 mm to 0.4 mm-2 mm
- High performance alloyed steel
- Burnished finish

- Numerically controlled machine grinding guarantees edge angle accuracy & contact, increases the tool's reliability & consistency
- Precision induction-hardened edges 63-65 HRC
- Screw joint minimises friction & maximises alignment of cutting edges
- ESD safe handles in two-component synthetic material
- Bio spring limits the tension throughout the working cycle of the tool & can be adjusted to 3 different positions or removed
- Ideal for wire harness work & standard printed circuit board assembly





## Product: RX 8140

	Oval	<Â>	S		Micro-Bevel ®
	0.2-1.25 mm		0.00-0.05 in	₽®	0.2-0.5 mm
₩	0.01-0.02 in	A	135.5 mm	Α	5.33 in
Β	10.5 mm	Β	0.41 in	С	10 mm
С	0.39 in	D	6 mm	D	0.24 inch
F	0.8 mm	F	0.03 in	g	70 g
Ω	Dissipative				