# **LINDSTRÖM®**

#### **RX 8161**

ERGO™ Flush Precision Cut Diagonal Cutter with Oval Head 0.3-2 mm




### PRODUCT DETAILS

- $\bullet$  Precision oval head diagonal cutters developed according to the scientific ERGOTM process, Oval head
- ERGO™ handles with two-component combination, thermoplastic surface, for comfortable grip, on tough polypropylene core for rigidity
- Micro-bevel, flush & ultra-cut
- The cutting capacity that is given is for copper wire
- Cutting capacity: 0.1 mm-0.8 mm to 0.4 mm-2 mm
- High performance alloyed steel
- Burnished finish

- Numerically controlled machine grinding guarantees edge angle accuracy & contact, increases the tool's reliability & consistency
- Precision induction-hardened edges 63-65 HRC
- Screw joint minimises friction & maximises alignment of cutting edges
- ESD safe handles in two-component synthetic material
- Bio spring limits the tension throughout the working cycle of the tool & can be adjusted to 3 different positions or removed
- Ideal for wire harness work & standard printed circuit board assembly





## PRODUCT ATTRIBUTES

## Product: RX 8161

|          | Oval         | ⟨Ŷ⟩ | L              |    | Flush      |
|----------|--------------|-----|----------------|----|------------|
| A        | 0.3-2.0 mm   |     | 0.01 - 0.08 in | ₩, | 0.3-0.8 mm |
| ₩6       | 0.01-0.03 in | A   | 147 mm         | A  | 5.80 in    |
| B        | 16 mm        | B   | 0.63 in        | C  | 16 mm      |
| C        | 0.63 in      | D   | 8 mm           | D  | 0.31 inch  |
| F        | 1.6 mm       | F   | 0.06 in        | g  | 97 g       |
| $\Omega$ | Dissipative  |     |                |    |            |