




8130-8162

Precision Diagonal Cutters with Oval Head & ESD Safe Handle



PRODUCT DETAILS

- 80 Series precision diagonal and stripping cutter
- ESD safe mono-material handles with return spring
- Micro-bevel cut
- The cutting capacity given is for copper wire
- Suitable for cutting Cu
- High performance alloyed steel
- Burnished finish
- Numerically controlled machine grinding guarantees edge angle accuracy & contact, increases the tools reliability & consistency
- Precision induction hardened edges 63-65 HRC
- Screw joint that minimizes friction & maximizes alignment of cutting edges
- Ideal for wire harness work & standard printed circuit board assembly
- Also valid for stripping



PRODUCT ATTRIBUTES

<p>Product: 8130</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>XS</th> <th>Micro-Bevel</th> </tr> </thead> <tbody> <tr> <td>0.2-1.0 mm</td> <td>0.01-0.04 in</td> <td>85%</td> </tr> <tr> <td>108 mm</td> <td>4.25 in</td> <td></td> </tr> <tr> <td>8.5 mm</td> <td>0.33 in</td> <td>8 mm</td> </tr> <tr> <td>0.31 in</td> <td>5 mm</td> <td>0.2 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>68 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	XS	Micro-Bevel	0.2-1.0 mm	0.01-0.04 in	85%	108 mm	4.25 in		8.5 mm	0.33 in	8 mm	0.31 in	5 mm	0.2 inch	0.8 mm	0.03 in	g	68 g			<p>Product: 8131</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>XS</th> <th>Flush</th> </tr> </thead> <tbody> <tr> <td>0.1-1.0 mm</td> <td>0.00-0.04 in</td> <td>85%</td> </tr> <tr> <td>108 mm</td> <td>4.25 in</td> <td></td> </tr> <tr> <td>8.5 mm</td> <td>0.33 in</td> <td>8 mm</td> </tr> <tr> <td>0.31 in</td> <td>5 mm</td> <td>0.2 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>68 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	XS	Flush	0.1-1.0 mm	0.00-0.04 in	85%	108 mm	4.25 in		8.5 mm	0.33 in	8 mm	0.31 in	5 mm	0.2 inch	0.8 mm	0.03 in	g	68 g		
Oval	XS	Micro-Bevel																																									
0.2-1.0 mm	0.01-0.04 in	85%																																									
108 mm	4.25 in																																										
8.5 mm	0.33 in	8 mm																																									
0.31 in	5 mm	0.2 inch																																									
0.8 mm	0.03 in	g																																									
68 g																																											
Oval	XS	Flush																																									
0.1-1.0 mm	0.00-0.04 in	85%																																									
108 mm	4.25 in																																										
8.5 mm	0.33 in	8 mm																																									
0.31 in	5 mm	0.2 inch																																									
0.8 mm	0.03 in	g																																									
68 g																																											
<p>Product: 8132</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>XS</th> <th>Ultra-Flush</th> </tr> </thead> <tbody> <tr> <td>0.1-1.0 mm</td> <td>0.00-0.03 in</td> <td>85%</td> </tr> <tr> <td>108 mm</td> <td>4.25 in</td> <td></td> </tr> <tr> <td>8.5 mm</td> <td>0.33 in</td> <td>8 mm</td> </tr> <tr> <td>0.31 in</td> <td>5 mm</td> <td>0.2 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>68 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	XS	Ultra-Flush	0.1-1.0 mm	0.00-0.03 in	85%	108 mm	4.25 in		8.5 mm	0.33 in	8 mm	0.31 in	5 mm	0.2 inch	0.8 mm	0.03 in	g	68 g			<p>Product: 8140</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>S</th> <th>Micro-Bevel</th> </tr> </thead> <tbody> <tr> <td>0.2-1.25 mm</td> <td>0.01-0.05 in</td> <td>85%</td> </tr> <tr> <td>110 mm</td> <td>4.33 in</td> <td></td> </tr> <tr> <td>10.5 mm</td> <td>0.41 in</td> <td>10 mm</td> </tr> <tr> <td>0.39 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>70 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	S	Micro-Bevel	0.2-1.25 mm	0.01-0.05 in	85%	110 mm	4.33 in		10.5 mm	0.41 in	10 mm	0.39 in	6 mm	0.24 inch	0.8 mm	0.03 in	g	70 g		
Oval	XS	Ultra-Flush																																									
0.1-1.0 mm	0.00-0.03 in	85%																																									
108 mm	4.25 in																																										
8.5 mm	0.33 in	8 mm																																									
0.31 in	5 mm	0.2 inch																																									
0.8 mm	0.03 in	g																																									
68 g																																											
Oval	S	Micro-Bevel																																									
0.2-1.25 mm	0.01-0.05 in	85%																																									
110 mm	4.33 in																																										
10.5 mm	0.41 in	10 mm																																									
0.39 in	6 mm	0.24 inch																																									
0.8 mm	0.03 in	g																																									
70 g																																											
<p>Product: 8141</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>S</th> <th>Flush</th> </tr> </thead> <tbody> <tr> <td>0.1-1.25 mm</td> <td>0.00-0.05 in</td> <td>85%</td> </tr> <tr> <td>110 mm</td> <td>4.33 in</td> <td></td> </tr> <tr> <td>10.5 mm</td> <td>0.41 in</td> <td>10 mm</td> </tr> <tr> <td>0.39 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>70 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	S	Flush	0.1-1.25 mm	0.00-0.05 in	85%	110 mm	4.33 in		10.5 mm	0.41 in	10 mm	0.39 in	6 mm	0.24 inch	0.8 mm	0.03 in	g	70 g			<p>Product: 8142</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>S</th> <th>Ultra-Flush</th> </tr> </thead> <tbody> <tr> <td>0.1-1.0 mm</td> <td>0.00-0.05 in</td> <td>85%</td> </tr> <tr> <td>110 mm</td> <td>4.33 in</td> <td></td> </tr> <tr> <td>10.5 mm</td> <td>0.41 in</td> <td>10 mm</td> </tr> <tr> <td>0.39 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>70 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	S	Ultra-Flush	0.1-1.0 mm	0.00-0.05 in	85%	110 mm	4.33 in		10.5 mm	0.41 in	10 mm	0.39 in	6 mm	0.24 inch	0.8 mm	0.03 in	g	70 g		
Oval	S	Flush																																									
0.1-1.25 mm	0.00-0.05 in	85%																																									
110 mm	4.33 in																																										
10.5 mm	0.41 in	10 mm																																									
0.39 in	6 mm	0.24 inch																																									
0.8 mm	0.03 in	g																																									
70 g																																											
Oval	S	Ultra-Flush																																									
0.1-1.0 mm	0.00-0.05 in	85%																																									
110 mm	4.33 in																																										
10.5 mm	0.41 in	10 mm																																									
0.39 in	6 mm	0.24 inch																																									
0.8 mm	0.03 in	g																																									
70 g																																											
<p>Product: 8150</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>M</th> <th>Micro-Bevel</th> </tr> </thead> <tbody> <tr> <td>0.3-1.6 mm</td> <td>0.01-0.06 in</td> <td>85%</td> </tr> <tr> <td>112.5 mm</td> <td>4.43 in</td> <td></td> </tr> <tr> <td>13 mm</td> <td>0.51 in</td> <td>12.5 mm</td> </tr> <tr> <td>0.50 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>1.2 mm</td> <td>0.05 in</td> <td>g</td> </tr> <tr> <td>73 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	M	Micro-Bevel	0.3-1.6 mm	0.01-0.06 in	85%	112.5 mm	4.43 in		13 mm	0.51 in	12.5 mm	0.50 in	6 mm	0.24 inch	1.2 mm	0.05 in	g	73 g			<p>Product: 8151</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>M</th> <th>Flush</th> </tr> </thead> <tbody> <tr> <td>0.2-1.6 mm</td> <td>0.01-0.06 in</td> <td>85%</td> </tr> <tr> <td>112.5 mm</td> <td>4.43 in</td> <td></td> </tr> <tr> <td>13 mm</td> <td>0.51 in</td> <td>12.5 mm</td> </tr> <tr> <td>0.50 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>1.2 mm</td> <td>0.05 in</td> <td>g</td> </tr> <tr> <td>73 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	M	Flush	0.2-1.6 mm	0.01-0.06 in	85%	112.5 mm	4.43 in		13 mm	0.51 in	12.5 mm	0.50 in	6 mm	0.24 inch	1.2 mm	0.05 in	g	73 g		
Oval	M	Micro-Bevel																																									
0.3-1.6 mm	0.01-0.06 in	85%																																									
112.5 mm	4.43 in																																										
13 mm	0.51 in	12.5 mm																																									
0.50 in	6 mm	0.24 inch																																									
1.2 mm	0.05 in	g																																									
73 g																																											
Oval	M	Flush																																									
0.2-1.6 mm	0.01-0.06 in	85%																																									
112.5 mm	4.43 in																																										
13 mm	0.51 in	12.5 mm																																									
0.50 in	6 mm	0.24 inch																																									
1.2 mm	0.05 in	g																																									
73 g																																											
<p>Product: 8152</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>M</th> <th>Ultra-Flush</th> </tr> </thead> <tbody> <tr> <td>0.1-1.25 mm</td> <td>0.00-0.05 in</td> <td>85%</td> </tr> <tr> <td>112.5 mm</td> <td>4.43 in</td> <td></td> </tr> <tr> <td>13 mm</td> <td>0.51 in</td> <td>12.5 mm</td> </tr> <tr> <td>0.50 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>1.2 mm</td> <td>0.05 in</td> <td>g</td> </tr> <tr> <td>73 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	M	Ultra-Flush	0.1-1.25 mm	0.00-0.05 in	85%	112.5 mm	4.43 in		13 mm	0.51 in	12.5 mm	0.50 in	6 mm	0.24 inch	1.2 mm	0.05 in	g	73 g			<p>Product: 8160</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>L</th> <th>Micro-Bevel</th> </tr> </thead> <tbody> <tr> <td>0.4-2.0 mm</td> <td>0.02-0.08 in</td> <td>85%</td> </tr> <tr> <td>125 mm</td> <td>4.92 in</td> <td></td> </tr> <tr> <td>16 mm</td> <td>0.63 in</td> <td>16 mm</td> </tr> <tr> <td>0.63 in</td> <td>8 mm</td> <td>0.31 inch</td> </tr> <tr> <td>1.6 mm</td> <td>0.06 in</td> <td>g</td> </tr> <tr> <td>97 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	L	Micro-Bevel	0.4-2.0 mm	0.02-0.08 in	85%	125 mm	4.92 in		16 mm	0.63 in	16 mm	0.63 in	8 mm	0.31 inch	1.6 mm	0.06 in	g	97 g		
Oval	M	Ultra-Flush																																									
0.1-1.25 mm	0.00-0.05 in	85%																																									
112.5 mm	4.43 in																																										
13 mm	0.51 in	12.5 mm																																									
0.50 in	6 mm	0.24 inch																																									
1.2 mm	0.05 in	g																																									
73 g																																											
Oval	L	Micro-Bevel																																									
0.4-2.0 mm	0.02-0.08 in	85%																																									
125 mm	4.92 in																																										
16 mm	0.63 in	16 mm																																									
0.63 in	8 mm	0.31 inch																																									
1.6 mm	0.06 in	g																																									
97 g																																											
<p>Product: 8161</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>L</th> <th>Flush</th> </tr> </thead> <tbody> <tr> <td>0.3-2.0 mm</td> <td>0.01-0.08 in</td> <td>85%</td> </tr> <tr> <td>125 mm</td> <td>4.92 in</td> <td></td> </tr> <tr> <td>16 mm</td> <td>0.63 in</td> <td>16 mm</td> </tr> <tr> <td>0.63 in</td> <td>8 mm</td> <td>0.31 inch</td> </tr> <tr> <td>1.6 mm</td> <td>0.06 in</td> <td>g</td> </tr> <tr> <td>97 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	L	Flush	0.3-2.0 mm	0.01-0.08 in	85%	125 mm	4.92 in		16 mm	0.63 in	16 mm	0.63 in	8 mm	0.31 inch	1.6 mm	0.06 in	g	97 g			<p>Product: 8162</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>L</th> <th>Ultra-Flush</th> </tr> </thead> <tbody> <tr> <td>0.3-1.6 mm</td> <td>0.01-0.06 in</td> <td>85%</td> </tr> <tr> <td>125 mm</td> <td>4.92 in</td> <td></td> </tr> <tr> <td>16 mm</td> <td>0.63 in</td> <td>16 mm</td> </tr> <tr> <td>0.63 in</td> <td>8 mm</td> <td>0.31 inch</td> </tr> <tr> <td>1.6 mm</td> <td>0.06 in</td> <td>g</td> </tr> <tr> <td>97 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Dispassive</p>	Oval	L	Ultra-Flush	0.3-1.6 mm	0.01-0.06 in	85%	125 mm	4.92 in		16 mm	0.63 in	16 mm	0.63 in	8 mm	0.31 inch	1.6 mm	0.06 in	g	97 g		
Oval	L	Flush																																									
0.3-2.0 mm	0.01-0.08 in	85%																																									
125 mm	4.92 in																																										
16 mm	0.63 in	16 mm																																									
0.63 in	8 mm	0.31 inch																																									
1.6 mm	0.06 in	g																																									
97 g																																											
Oval	L	Ultra-Flush																																									
0.3-1.6 mm	0.01-0.06 in	85%																																									
125 mm	4.92 in																																										
16 mm	0.63 in	16 mm																																									
0.63 in	8 mm	0.31 inch																																									
1.6 mm	0.06 in	g																																									
97 g																																											
<p>Product: 8131 CO</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>XS</th> <th>Flush</th> </tr> </thead> <tbody> <tr> <td>0.1-1.0 mm</td> <td>0.00-0.04 in</td> <td>85%</td> </tr> <tr> <td>108 mm</td> <td>4.25 in</td> <td></td> </tr> <tr> <td>8.5 mm</td> <td>0.33 in</td> <td>8 mm</td> </tr> <tr> <td>0.31 in</td> <td>5 mm</td> <td>0.2 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>43 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Conductive</p>	Oval	XS	Flush	0.1-1.0 mm	0.00-0.04 in	85%	108 mm	4.25 in		8.5 mm	0.33 in	8 mm	0.31 in	5 mm	0.2 inch	0.8 mm	0.03 in	g	43 g			<p>Product: 8140 CO</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>S</th> <th>Micro-Bevel</th> </tr> </thead> <tbody> <tr> <td>0.2-1.25 mm</td> <td>0.01-0.05 in</td> <td>85%</td> </tr> <tr> <td>110 mm</td> <td>4.33 in</td> <td></td> </tr> <tr> <td>10.5 mm</td> <td>0.41 in</td> <td>10 mm</td> </tr> <tr> <td>0.39 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>46 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Conductive</p>	Oval	S	Micro-Bevel	0.2-1.25 mm	0.01-0.05 in	85%	110 mm	4.33 in		10.5 mm	0.41 in	10 mm	0.39 in	6 mm	0.24 inch	0.8 mm	0.03 in	g	46 g		
Oval	XS	Flush																																									
0.1-1.0 mm	0.00-0.04 in	85%																																									
108 mm	4.25 in																																										
8.5 mm	0.33 in	8 mm																																									
0.31 in	5 mm	0.2 inch																																									
0.8 mm	0.03 in	g																																									
43 g																																											
Oval	S	Micro-Bevel																																									
0.2-1.25 mm	0.01-0.05 in	85%																																									
110 mm	4.33 in																																										
10.5 mm	0.41 in	10 mm																																									
0.39 in	6 mm	0.24 inch																																									
0.8 mm	0.03 in	g																																									
46 g																																											
<p>Product: 8141 CO</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>S</th> <th>Flush</th> </tr> </thead> <tbody> <tr> <td>0.1-1.25 mm</td> <td>0.00-0.05 in</td> <td>85%</td> </tr> <tr> <td>110 mm</td> <td>4.33 in</td> <td></td> </tr> <tr> <td>1.5 mm</td> <td>0.41 in</td> <td>10 mm</td> </tr> <tr> <td>0.39 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>45 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Conductive</p>	Oval	S	Flush	0.1-1.25 mm	0.00-0.05 in	85%	110 mm	4.33 in		1.5 mm	0.41 in	10 mm	0.39 in	6 mm	0.24 inch	0.8 mm	0.03 in	g	45 g			<p>Product: 8142 CO</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>S</th> <th>Ultra-Flush</th> </tr> </thead> <tbody> <tr> <td>0.1-1.0 mm</td> <td>0.00-0.04 in</td> <td>85%</td> </tr> <tr> <td>110 mm</td> <td>4.33 in</td> <td></td> </tr> <tr> <td>10.5 mm</td> <td>0.41 in</td> <td>10 mm</td> </tr> <tr> <td>0.39 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>0.8 mm</td> <td>0.03 in</td> <td>g</td> </tr> <tr> <td>45 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Conductive</p>	Oval	S	Ultra-Flush	0.1-1.0 mm	0.00-0.04 in	85%	110 mm	4.33 in		10.5 mm	0.41 in	10 mm	0.39 in	6 mm	0.24 inch	0.8 mm	0.03 in	g	45 g		
Oval	S	Flush																																									
0.1-1.25 mm	0.00-0.05 in	85%																																									
110 mm	4.33 in																																										
1.5 mm	0.41 in	10 mm																																									
0.39 in	6 mm	0.24 inch																																									
0.8 mm	0.03 in	g																																									
45 g																																											
Oval	S	Ultra-Flush																																									
0.1-1.0 mm	0.00-0.04 in	85%																																									
110 mm	4.33 in																																										
10.5 mm	0.41 in	10 mm																																									
0.39 in	6 mm	0.24 inch																																									
0.8 mm	0.03 in	g																																									
45 g																																											
<p>Product: 8150 CO</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>M</th> <th>Micro-Bevel</th> </tr> </thead> <tbody> <tr> <td>0.3-1.6 mm</td> <td>0.01-0.06 in</td> <td>85%</td> </tr> <tr> <td>112.5 mm</td> <td>4.43 in</td> <td></td> </tr> <tr> <td>13 mm</td> <td>0.51 in</td> <td>12.5 mm</td> </tr> <tr> <td>0.50 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>1.2 mm</td> <td>0.05 in</td> <td>g</td> </tr> <tr> <td>59 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Conductive</p>	Oval	M	Micro-Bevel	0.3-1.6 mm	0.01-0.06 in	85%	112.5 mm	4.43 in		13 mm	0.51 in	12.5 mm	0.50 in	6 mm	0.24 inch	1.2 mm	0.05 in	g	59 g			<p>Product: 8151 CO</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>M</th> <th>Flush</th> </tr> </thead> <tbody> <tr> <td>0.2-1.6 mm</td> <td>0.01-0.06 in</td> <td>85%</td> </tr> <tr> <td>112.5 mm</td> <td>4.43 in</td> <td></td> </tr> <tr> <td>12.5 mm</td> <td>0.51 in</td> <td>12.5 mm</td> </tr> <tr> <td>0.50 in</td> <td>6 mm</td> <td>0.24 inch</td> </tr> <tr> <td>1.2 mm</td> <td>0.05 in</td> <td>g</td> </tr> <tr> <td>49 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Conductive</p>	Oval	M	Flush	0.2-1.6 mm	0.01-0.06 in	85%	112.5 mm	4.43 in		12.5 mm	0.51 in	12.5 mm	0.50 in	6 mm	0.24 inch	1.2 mm	0.05 in	g	49 g		
Oval	M	Micro-Bevel																																									
0.3-1.6 mm	0.01-0.06 in	85%																																									
112.5 mm	4.43 in																																										
13 mm	0.51 in	12.5 mm																																									
0.50 in	6 mm	0.24 inch																																									
1.2 mm	0.05 in	g																																									
59 g																																											
Oval	M	Flush																																									
0.2-1.6 mm	0.01-0.06 in	85%																																									
112.5 mm	4.43 in																																										
12.5 mm	0.51 in	12.5 mm																																									
0.50 in	6 mm	0.24 inch																																									
1.2 mm	0.05 in	g																																									
49 g																																											
<p>Product: 8160 CO</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>L</th> <th>Micro-Bevel</th> </tr> </thead> <tbody> <tr> <td>0.4-2.0 mm</td> <td>0.02-0.08 in</td> <td>85%</td> </tr> <tr> <td>125 mm</td> <td>4.92 in</td> <td></td> </tr> <tr> <td>16 mm</td> <td>0.63 in</td> <td>16 mm</td> </tr> <tr> <td>0.63 in</td> <td>8 mm</td> <td>0.31 inch</td> </tr> <tr> <td>1.6 mm</td> <td>0.06 in</td> <td>g</td> </tr> <tr> <td>88 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Conductive</p>	Oval	L	Micro-Bevel	0.4-2.0 mm	0.02-0.08 in	85%	125 mm	4.92 in		16 mm	0.63 in	16 mm	0.63 in	8 mm	0.31 inch	1.6 mm	0.06 in	g	88 g			<p>Product: 8161 CO</p> <table border="1"> <thead> <tr> <th>Oval</th> <th>L</th> <th>Flush</th> </tr> </thead> <tbody> <tr> <td>0.3-2.0 mm</td> <td>0.01-0.08 in</td> <td>85%</td> </tr> <tr> <td>125 mm</td> <td>4.92 in</td> <td></td> </tr> <tr> <td>16 mm</td> <td>0.63 in</td> <td>16 mm</td> </tr> <tr> <td>0.63 in</td> <td>8 mm</td> <td>0.31 inch</td> </tr> <tr> <td>1.6 mm</td> <td>0.06 in</td> <td>g</td> </tr> <tr> <td>88 g</td> <td></td> <td></td> </tr> </tbody> </table> <p>Conductive</p>	Oval	L	Flush	0.3-2.0 mm	0.01-0.08 in	85%	125 mm	4.92 in		16 mm	0.63 in	16 mm	0.63 in	8 mm	0.31 inch	1.6 mm	0.06 in	g	88 g		
Oval	L	Micro-Bevel																																									
0.4-2.0 mm	0.02-0.08 in	85%																																									
125 mm	4.92 in																																										
16 mm	0.63 in	16 mm																																									
0.63 in	8 mm	0.31 inch																																									
1.6 mm	0.06 in	g																																									
88 g																																											
Oval	L	Flush																																									
0.3-2.0 mm	0.01-0.08 in	85%																																									
125 mm	4.92 in																																										
16 mm	0.63 in	16 mm																																									
0.63 in	8 mm	0.31 inch																																									
1.6 mm	0.06 in	g																																									
88 g																																											